



**MSME**

MICRO, SMALL & MEDIUM ENTERPRISES  
सूक्ष्म, लघु एवं मध्यम उद्यम  
OUR STRENGTH • हमारी शक्ति

Ministry of MSME, Govt. of India



**A L S INTERNATIONAL**

**DESIRE . DISCOVER . ACCOMPLISH**

**COMPANY  
PROFILE  
CUM PRODUCT  
CATALOGUE**



# TABLE OF CONTENT

Sr. no	SUMMARY	Page no.
1	Introduction, Vision, Mission	3
2	Quality Policy, Our Commitment	4
3	MSME Udyam Certificate	5
4	ISO Certificate	6
5	Our Products – Lifting Trolleys, Electrical Panels	7
6	Lifting Trolleys	8 - 13
7	Trolley Selection Chart	14 - 15
8	Electrical Panels	16
9	Our Reputed Clients	17 - 20
10	Pan India Delivery	21
11	World Wide Exports	22
12	Contact Details	23

## INTRODUCTION

A L S INTERNATIONAL is an **ISO 9001:2015** certified leading manufacturer, trader & exporters of Lifting Trolleys & Electricals panels in India. The company was established in February 2017 by **Mr. R. K. Sharma**. We are having multiple product range like - ACB Lifting Trolley (Small), ACB Lifting Trolley (Big), VCB Lifting Trolley (for 11KV VCB), VCB Lifting Trolley (for 33KV VCB), Platform Trolley, Material Handling Trolley, Electrical Panels, LT Panels, Capacitor Panels, MCC Panels, PCC Panels, AHU Panels. We are certified with Ministry of MSME (Micro, Small & Medium Enterprises), Govt. of India.

- ▶ GST no. :- 07DBZPS3110L2Z0
- ▶ Udyog Adhaar no. :- DL11A0006359

Our complete product range are completely based on Make in India initiative.

A L S INTERNATIONAL is specialized in manufacturing of ACB / VCB Lifting Trolleys.

Our commitment to meet and exceed customer expectation enables their success by providing them with the solutions that meet their requirements. We ensure value to the customer by providing them with an excellent cost to performance ratio, and reliable products that are easily integrated. The value to the customer is assured through excellent customer support.

## VISION

## MISSION

Our Mission is to make a true difference in the business of our customers through the best possible customer service, quality of products & Competitive price.

## QUALITY POLICY

- ▶ A strict quality control mechanism is followed at A L S International, which is supervised by our well qualified persons
- ▶ At A L S International, periodic review of policy and objectives, continual improvement with trained manpower, lead of effectiveness of QMS and Customer satisfaction.
- ▶ Several tests are conducted at our in-house quality control department to ensure that the products are in conformance to international quality standards.
- ▶ Quality is the primary focus for us and we try to supply our clients with well designed and flexible range of products.

- ▶ **Focus on Customers**
- ▶ **Focus on Customer & actual Demands**
- ▶ **Focus on Product Quality**
- ▶ **Continual Improvement & Market Credibility**
- ▶ **Customers Satisfaction**
- ▶ **Adapt new Design & Innovate**
- ▶ **Focus on Product Performance**
- ▶ **Create a win situation for both Customer & Company**

● Desire ● Discover ● Accomplish ●

## OUR COMMITMENT

# MSME UDYAM CERTIFICATE

6/30/2021

Print : Udyam Registration Certificate



भारत सरकार  
Government of India  
सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय  
Ministry of Micro, Small and Medium Enterprises



## UDYAM REGISTRATION CERTIFICATE



UDYAM REGISTRATION NUMBER	UDYAM-DL-11-0015536				
NAME OF ENTERPRISE	A L S INTERNATIONAL				
TYPE OF ENTERPRISE *	MICRO				
MAJOR ACTIVITY	MANUFACTURING				
SOCIAL CATEGORY OF ENTREPRENEUR	OBC				
NAME OF UNIT(S)	S.No.	Udyog Aadhaar Memorandum	Unit(s) Name		
	1	DL11A0006359	A L S INTERNATIONAL		
OFFICIAL ADDRESS OF ENTERPRISE	Flat/Door/Block No.	S-2/8, GF	Name of Premises/ Building	KH NO. 78/14	
	Village/Town	MUNDKA	Block	S	
	Road/Street/Lane	SWARN PARK	City	NEW DELHI	
	State	DELHI	District	WEST , Pin 110041	
	Mobile	8447600053	Email:	ravikantsharma382@gmail.com	
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE	27/02/2017				
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS	09/11/2016				
NATIONAL INDUSTRY CLASSIFICATION CODE(S)	S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
	1	28 - Manufacture of fabricated metal products, except machinery and equipment	2899 - Manufacture of other fabricated metal products n.e.c.	28999 - Manufacture of other fabricated metal products n.e.c.	Manufacturing
	2	27 - Manufacture of electrical equipment	2710 - Manufacture of electric motors, generators, transformers and control apparatus	27104 - Manufacture of electricity distribution and control apparatus (electrical apparatus for switching or protecting electrical circuits (e.g. switches, fuses, voltage limiters, surge suppressors, junction boxes etc.) for a voltage exceeding 1000 volts; similar apparatus (including relays, sockets etc.) for a voltage not exceeding 1000 volts; boards, panels, consoles, cabinets and other boxes equipped with two or more of the above apparatus for electricity control or distribution of electricity including power capacitors.)	Manufacturing
	3	27 - Manufacture of electrical equipment	2790 - Manufacture of other electrical equipment	27900 - Manufacture of other electrical equipment	Manufacturing
	4	28 - Manufacture of machinery and equipment n.e.c.	2816 - Manufacture of lifting and handling equipment	28162 - Manufacture of other lifting and handling equipment and parts thereof	Manufacturing
DATE OF UDYAM REGISTRATION	30/06/2021				

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the Mo MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing:- 30/06/2021

For any assistance, you may contact:

1. District Industries Centre: DELHI (DELHI)
2. MSME-DI: DELHI (DELHI)

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.champions.gov.in](http://www.champions.gov.in)

Follow us @minmsme & @msmechampions



**BE A  
CHAMPION**  
with the  
Ministry of  
**MSME**

# ISO CERTIFICATE



## CERTIFICATE OF REGISTRATION

This is to Certify that  
The Quality Management System of

### A L S INTERNATIONAL

GF, S-2/8, SWARN PARK, MUNDKA, WEST DELHI, DELHI- 110041, INDIA

has been assessed and found to be in accordance with the  
requirements of the system standard

## ISO 9001:2015

For the scope of activities described below

MANUFACTURER, SUPPLIER & EXPORTER OF ACB & VCB LIFTING TROLLEYS,  
MATERIAL HANDLING TROLLEYS & TRADERS OF ELECTRICAL PANELS AND  
ACCESSORIES IN INDIA

Certificate No : QIBPLK1303

Issue Date : 10/04/2024  
Expiry Date : 09/04/2027

1st Surveillance Audit due on : 09/03/2025  
2nd Surveillance Audit due on : 09/03/2026

Validity of this certificate is subject to successful completion of surveillance audit on or before due date,  
in case surveillance audit not conducted this certificate shall be suspended



DIRECTOR

Interglobal Business Process Private Limited

PNB Complex, Harabala Road, Ulubari, Guwahati: 781007, Assam, India  
Email: info@interglobalcertification.com

Authenticity and status of this certificate can be verified at [www.interglobalcertification.com](http://www.interglobalcertification.com) or scan the barcode.

This certificate is the property of Interglobal Business Process Pvt. Ltd. and should be returned to IBP in case of non compliance  
of the certification procedure.

# OUR PRODUCTS



**LIFTING TROLLEYS**

**ELECTRICAL PANELS**

INTERNATIONAL

• Desire • Discover • Accomplish •

# LIFTING TROLLEYS



## ACB LIFTING TROLLEY (SMALL)



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT4000PT
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	800 mm
WIDTH OF PLATFORM	650 mm
LIFTING HEIGHT	1600 mm
CAPACITY	250 – 300 kg / For ACB rating upto 4000A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (HEAVY)



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT4000PT / ALSI-ACBT6300PT (OPTIONAL)
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	As per size of ACBs of different makes
WIDTH OF PLATFORM	As per size of ACBs of different makes
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 500 kg
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL





## ACB LIFTING TROLLEY (BIG) FOR L&T MAKE ACB



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT6300PTL
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	1200 mm
WIDTH OF PLATFORM	700 mm
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 350 kg / From ACB rating 5000A to 6300A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BIG) FOR ABB MAKE ACB



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT6300PTA
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	1100 mm
WIDTH OF PLATFORM	650 mm
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 350 kg / From ACB rating 5000A to 6300A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BIG) FOR SCHNEIDER MAKE ACB



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT6300PTS
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	1050 mm
WIDTH OF PLATFORM	650 mm
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 350 kg / From ACB rating 5000A to 6300A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BIG) FOR SIEMENS MAKE ACB



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT6300PTS
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	1050 mm
WIDTH OF PLATFORM	650 mm
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 350 kg / From ACB rating 5000A to 6300A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BIG) FOR 5000A & 6300A ACB



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT6300PTS
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	As per size of ACBs of different makes
WIDTH OF PLATFORM	As per size of ACBs of different makes
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 350 kg / From ACB rating 5000A to 6300A
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## MATERIAL HANDLING TROLLEY



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-MHTPT
LENGTH OF PLATFORM	AS PER REQUIREMENT
WIDTH OF PLATFORM	AS PER REQUIREMENT
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	AS PER REQUIREMENT
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BOOM TYPE - SMALL)



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT4000BTS
HEIGHT OF TROLLEY	2000 mm
LENGTH OF BOOM	600 mm (APPROX)
LIFTING HEIGHT	1600 mm
CAPACITY	250 kg
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL



## ACB LIFTING TROLLEY (BOOM TYPE - BIG)



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-ACBT4000BTB
HEIGHT OF TROLLEY	2400 mm
LENGTH OF BOOM	600 mm (APPROX)
LIFTING HEIGHT	2000 mm
CAPACITY	250 kg
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL

## 11KV VCB LIFTING TROLLEY



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-VCBT11KV
HEIGHT OF TROLLEY	1490 mm
LENGTH OF PLATFORM	525 mm
WIDTH OF PLATFORM	595 mm
LIFTING HEIGHT	900 mm
CAPACITY	UPTO 250 kg
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL

## 33KV VCB LIFTING TROLLEY



### PRODUCT DESCRIPTION

MODEL NUMBER	ALSI-VCBT33KV
HEIGHT OF TROLLEY	2100 mm
LENGTH OF PLATFORM	875 mm
WIDTH OF PLATFORM	750 mm
LIFTING HEIGHT	1600 mm
CAPACITY	UPTO 250 kg
LIFTING SYSTEM	THROUGH TRIPLE GEARED WINCH / PULLEY & WIRE ROPE SYSTEM
WHEELS	NORMAL WHEELS WITH BALL BEARINGS
COLOUR	GOLDEN YELLOW AND BLACK
MATERIAL OF TROLLEY	MILD STEEL


# TROLLEY SELECTION CHART

Sr. No.	BREAKER DETAILS							TROLLEY DETAILS			
	Rating	Make	Type	Weight (in kg)	Dimensions (in mm)			Compatible Trolley		Platform Size (in mm)	
					H	L	D	Type	Model No. (ALSI)	L	D
1	630A	L&T	ACB		468	487	587	PLATFORM	ALSI-ACBT4000PT	800	650
2	630A	ABB	ACB	82	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
3	630A	SCHNEIDER	ACB	100	310	368	196	PLATFORM	ALSI-ACBT4000PT	800	650
4	630A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
5	800A	L&T	ACB		468	487	587	PLATFORM	ALSI-ACBT4000PT	800	650
6	800A	ABB	ACB	82	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
7	800A	SCHNEIDER	ACB	100	310	368	196	PLATFORM	ALSI-ACBT4000PT	800	650
8	800A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
9	1000A	L&T	ACB		468	487	587	PLATFORM	ALSI-ACBT4000PT	800	650
10	1000A	ABB	ACB	82	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
11	1000A	SCHNEIDER	ACB	100	310	368	196	PLATFORM	ALSI-ACBT4000PT	800	650
12	1000A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
13	1250A	L&T	ACB		468	487	587	PLATFORM	ALSI-ACBT4000PT	800	650
14	1250A	ABB	ACB	95	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
15	1250A	SCHNEIDER	ACB	100	310	368	196	PLATFORM	ALSI-ACBT4000PT	800	650
16	1250A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
17	1600A	L&T	ACB		468	487	587	PLATFORM	ALSI-ACBT4000PT	800	650
18	1600A	ABB	ACB	95	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
19	1600A	SCHNEIDER	ACB	120	439	556	395	PLATFORM	ALSI-ACBT4000PT	800	650
20	1600A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
21	2000A	L&T	ACB		468	701	587	PLATFORM	ALSI-ACBT4000PT	800	650
22	2000A	ABB	ACB	127	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
23	2000A	SCHNEIDER	ACB	120	439	556	395	PLATFORM	ALSI-ACBT4000PT	800	650
24	2000A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
25	2500A	L&T	ACB		468	701	587	PLATFORM	ALSI-ACBT4000PT	800	650
26	2500A	ABB	ACB	127	461	558	397	PLATFORM	ALSI-ACBT4000PT	800	650
27	2500A	SCHNEIDER	ACB	120	439	556	395	PLATFORM	ALSI-ACBT4000PT	800	650
28	2500A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650

29	3200A	L&T	ACB		583	913	652	PLATFORM	ALSI-ACBT4000PT	800	650
30	3200A	ABB	ACB	165	461	684	397	PLATFORM	ALSI-ACBT4000PT	800	650
31	3200A	SCHNEIDER	ACB	120	439	556	395	PLATFORM	ALSI-ACBT4000PT	800	650
32	3200A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
33	4000A	L&T	ACB		583	913	652	PLATFORM	ALSI-ACBT4000PT	800	650
34	4000A	ABB	ACB	165	461	684	397	PLATFORM	ALSI-ACBT4000PT	800	650
35	4000A	SCHNEIDER	ACB	120	439	556	395	PLATFORM	ALSI-ACBT4000PT	800	650
36	4000A	SIEMENS	ACB					PLATFORM	ALSI-ACBT4000PT	800	650
37	5000A	L&T	ACB		583	1182	691	PLATFORM	ALSI-ACBT6300PTL	1200	700
38	5000A	ABB	ACB	240	461	1062	397	PLATFORM	ALSI-ACBT6300PTA	1100	650
39	5000A	SCHNEIDER	ACB	300	479	1016	395	PLATFORM	ALSI-ACBT6300PTS	1050	650
40	5000A	SIEMENS	ACB		466	914	471	PLATFORM	ALSI-ACBT6300PTS	1050	650
41	6300A	L&T	ACB		583	1182	691	PLATFORM	ALSI-ACBT6300PTL	1200	700
42	6300A	ABB	ACB	240	461	1062	397	PLATFORM	ALSI-ACBT6300PTA	1100	650
43	6300A	SCHNEIDER	ACB	300	479	1016	395	PLATFORM	ALSI-ACBT6300PTS	1050	650
44	6300A	SIEMENS	ACB	100	466	914	471	PLATFORM	ALSI-ACBT6300PTS	1050	650
45	11kV	L&T	VCB					PLATFORM	ALSI-VCBT11KV	525	595
46	11kV	ABB	VCB					PLATFORM	ALSI-VCBT11KV	525	595
47	11kV	SCHNEIDER	VCB					PLATFORM	ALSI-VCBT11KV	525	595
48	11kV	SIEMENS	VCB					PLATFORM	ALSI-VCBT11KV	525	595
49	33kV	L&T	VCB					PLATFORM	ALSI-VCBT33KV	875	750
50	33kV	ABB	VCB					PLATFORM	ALSI-VCBT33KV	875	750
51	33kV	SCHNEIDER	VCB					PLATFORM	ALSI-VCBT33KV	875	750
52	33kV	SIEMENS	VCB					PLATFORM	ALSI-VCBT33KV	875	750
53	≤ 4000A	L&T	ACB		583	1182	691	BOOM	ALSI-ACBT4000BTS	Page no. 11	
54	≤ 4000A	ABB	ACB	240	461	1062	397	BOOM	ALSI-ACBT4000BTS	Page no. 11	
55	≤ 4000A	SCHNEIDER	ACB	300	479	1016	395	BOOM	ALSI-ACBT4000BTS	Page no. 11	
56	≤ 4000A	SIEMENS	ACB	100				BOOM	ALSI-ACBT4000BTS	Page no. 11	
57	≥ 5000A	L&T	ACB		583	1182	691	BOOM	ALSI-ACBT6300BTB	Page no. 11	
58	≥ 5000A	ABB	ACB	240	461	1062	397	BOOM	ALSI-ACBT6300BTB	Page no. 11	
59	≥ 5000A	SCHNEIDER	ACB	300	479	1016	395	BOOM	ALSI-ACBT6300BTB	Page no. 11	
60	≥ 5000A	SIEMENS	ACB					BOOM	ALSI-ACBT6300BTB	Page no. 11	











# OUR REPUTED CLIENTS



aspire.ascertain.accomplish.



asianpaints



Hero MotoCorp Ltd



Oriental Carbon & Chemicals Limited



ENGINEERING INDUSTRIES LIMITED



the power behind your projects



*Pledged to Excellence*



TATA CONSULTING ENGINEERS LIMITED




Desire • Discover • Accomplish  
Marine Electricals





INTERNATIONAL  
Desire • Discover • Accomplish



# World Wide Export

Our products are exported out of India safely in sea worthy packing. And we are having the ability to export to every corner of the world.





**ALS INTERNATIONAL**

**DESIRE . DISCOVER . ACCOMPLISH**

**REGISTERED OFFICE**

**ALS INTERNATIONAL**

 : S-2/8, Swarn Park, Mundka,

Delhi - 110041

 : 8447600053

 : [info@alsinternational.co.in](mailto:info@alsinternational.co.in)

 : [www.alsinternational.co.in](http://www.alsinternational.co.in)

